

RESOLUTION #09-0908-08

Authorize the Fire Department to purchase KeySecure System

WHEREAS, the Liberty Township Fire Department has submitted a budget which has been approved, and

WHEREAS, the Fire Department is requesting that the Board of Trustees approve the purchase of KeySecure System, and

WHEREAS, in an effort to make the Fire Department's key system more secure, the staff is requesting that the Board of Trustees approve the purchase of a KeySecure System at the cost of \$12,179.00, and

NOW, THEREFORE BE IT RESOLVED BY THE BOARD OF TRUSTEES OF LIBERTY TOWNSHIP, DELAWARE COUNTY, OHIO, authorize the Fire Department to purchase the KeySecure System at a cost not to exceed \$12,179 from The Knox Company, 1601 West Deer Valley Road, Phoenix, AZ 85027, using Fire funds.

This Resolution shall be in force and become effective immediately upon its execution.

Motion made by Guzzo and seconded by Sybert.

Vote: yes Ms. Guzzo yes Mr. Mann yes Mr. Sybert

9-8-09
Date

[Signature]
Robert Mann, Trustee

[Signature]
Curtis J. Sybert, Trustee

[Signature]
Peggy Guzzo, Trustee

CERTIFIED BY:
[Signature]
Mark S. Gerber, Fiscal Officer

Liberty Township Capital Outlay Form Fiscal Year 2009

Department:

Prepared By:

Select One: New Program

Date:

Existing Program

1. Program Description:

KeySecure 3 USB provides documented master key security in emergency vehicles. Units are programmed and managed by a central database on a PC or laptop using KeySecure Software. Firefighters simply enter their authorized PIN code and the master key is released for service. Audit trail data is collected via a USB data cable by a laptop.

2. Service Delivery Impact

Due to security concerns in public safety, the KeySecure system is a more secure way to track where our Knox® Keys are and who used them last. In our current state, a lost key could cost Liberty Township Fire Department \$40,000+ to replace key tumblers. With the KeySecure, we could connect the box to a laptop computer and find out who used the key last. There is also a blue strobe light on top of the box that is activated if the key is not properly stowed.

3. Personnel Requirements:

4. Cost Impact of New Program:

Account #	Item	Quantity	Unit Cost	One Time	On Going	Total Cost
2191-220-	KeySecure with audit trail/strobe	18	\$523.00	X		\$9,414.00
	KeySecure software	1	\$245.00	X		\$245.00
	Mounting bracket	18	\$25.00	X		\$450.00
	Freight	1	\$220.00			\$220.00
	Installation	1	\$1,850.00			\$1,850.00
Expense Sub-Total						\$12,179.00

Revenue Offset:

Account #	Revenue Description	Total Revenue
		\$0.00
		\$0.00
Revenue Sub-Total		\$0.00

Net Cost of Impact for New Program

5. Other new program consideration or impacts (including revenue):

Knox Company

1601 West Deer Valley Road
Phoenix, AZ 85027
(800) 552-5669
(623) 687-2300 Fax

Regional Office
20701 Wolf Dr.
Macomb, MI 48044
Office (586) 948-1353
Fax (586) 948-1354

08/24/09

TO: J. Reardon c/o Liberty Twp. (43065)
FROM: Larry Lulich / Knox Company
RE: Knox Company KeySecure Options / Key Retention W/ 2000 pin codes
KeySecure III™ with Audit Trail Capability

The KeySecure™ III / Key Retention with Audit Trail is available for manufacturing. This product will allow your department to store up to 1- 2000 pins code numbers. Pins codes may be added & deleted anytime from your laptop computer. Windows 2000 or greater is required/{**Windows XP**}


KeySecure™ is a 12volt system that is UL listed against physical attack and will secure your Knox Master Key for your jurisdiction. Knox Company may e-mail a pin code attachment sheet to your attention, conveniently fill-out your Department names and Pin-Code Numbers, than e-mail the attachment back to the Knox Company. Engineering will download your pin-codes at the factory.

Part # 2643	KeySecure™ III with Blue Strobe & Audit trail Included & USB Port attached to face-plate of KeySecure™	
	\$523.00 ea. @ 18 units =	\$9,414.00
Part #2683	KeySecure™ III / Knoxware and Cable (**Required**) {Only one needs to be purchased}{Windows 2000 or greater}	\$245.00
Part # 2695	Mounting Bracket 90 degree angle	
OR	\$25.00 ea. @ 18 units =	\$450.00
Part #2696	Mounting Bracket 60 degree angle	

Freight/ Phoenix, AZ	<u>\$220.00</u>
Total:	\$10,334.00

Thank you!
Please do not hesitate to call anytime!

For Sentralok® and KeySecure® Master Key Retention System



Mounting Sentralok® or KeySecure® in a confined space may require a bracket to adjust the angle of the unit for ease of use. Knox manufactures two types of mounting brackets; one with a 60° angle and one with a 90° angle. These solid steel brackets can be used for installing either the Sentralok or the KeySecure unit.

Features and Benefits

- 1/4" plate steel construction
- Black TGIC polyester powder coat
- 90° angle

Mounting Device to Bracket Plate


Use at least four 5/16" diameter grade 5 mounting fasteners (screen/carriage bolts, etc.) to bolt the back of the housing onto the support bracket. Align bracket and housing then insert fasteners from the outside bracket plate into the housing so that nuts are not exposed.

Mounting Bracket Plate to Surface


Use at least four 5/16" diameter grade 5 mounting fasteners (screen/carriage bolts, etc.) to bolt the bracket plate to a surface. Drill holes in surface and align bracket. Insert fasteners through the bracket plate and surface then secure.

Knox® Rapid Entry System

The Knox Company manufactures a complete line of high security products including Knox-Box key boxes, key vaults, cabinets, key switches, padlocks, locking FDC plugs and electronic master key security systems. For more information or technical assistance, please call Customer Service at 1-800-552-5669.



Surface Mount Plate



KeySecure Mount Plate


90° Bracket Mounting Holes

Ordering Specifications

To insure procurement and delivery of the Knox Mounting Bracket, it is suggested that the following specification paragraph be used:

Knox Mounting Bracket constructed of 1/4" solid steel plate with a 90° angle and Knox-Coat finish:
 Dimensions: 5-1/16"H x 5"W x 4-1/4"D
 Weight: 4 lbs.
 Finish: Black TGIC polyester powder coat
 Color: Black
 P/N: Model 2695 - 90° Angle
 Mfr's Name: **KNOX COMPANY**

For Sentralok® and KeySecure® Master Key Retention Systems



Mounting Sentralok® or KeySecure® in a confined space may require a bracket to adjust the angle of the unit for ease of use. Knox manufactures two types of mounting brackets; one with a 60° angle and one with a 90° angle. These solid steel brackets can be used for installing either the Sentralok or the KeySecure unit.

Features and Benefits

- 1/4" plate steel construction
- Black TGIC polyester powder coat
- 60° angle

Mounting Device to Bracket Plate


Use at least four 5/16" diameter grade 5 mounting fasteners (screen/carriage bolts, etc.) to bolt the back of the housing onto the support bracket. Align bracket and housing then insert fasteners from the outside bracket plate into the housing so that nuts are not exposed.

Mounting Bracket Plate to Surface

Use at least four 5/16" diameter grade 5 mounting fasteners (screen/carriage bolts, etc.) to bolt the bracket plate to a surface. Drill holes in surface and align bracket. Insert fasteners through the bracket plate and surface then secure.

Knox® Rapid Entry System

The Knox Company manufactures a complete line of high security products including Knox-Box key box, key vaults, cabinets, key switches, padlocks, locking FDC plugs and electronic master key security systems. For more information or technical assistance, please call Customer Service at 1-800-552-5669.



60° Bracket Mounting Holes

Ordering Specifications

To insure procurement and delivery of the Knox Mounting Bracket, it is suggested that the following specification paragraph be used:

Knox Mounting Bracket constructed of 1/4" solid steel plate with a 60° angle and Knox-Coat finish.

Dimensions: 4-1/2"H x 5"W x 4-1/4"D

Weight: 4 lbs.

Finish: Black TGIC polyester powder coat

Color: Black

P/N: Model 2696 - 60° Angle

Mfr's Name: **KNOX COMPANY**

Knox-Box® Rapid Entry System

Serving Fire Departments since 1975

- Rapid Entry System
- Register Fire Department
- Fire Department Login
- What's Hot
- Newsletter

[View Cart](#) [Check Out](#) [Search](#) [Order Status](#)

- [Support](#)
- [Contacts](#)
- [Site Map](#)
- [Careers](#)



Home **Product Line** **Online Purchase**

Made in the U.S.A.

[Latest Headlines...](#)

Knox Company

1601 W. Deer Valley Road, Phoenix, AZ 85027



Note: Always check with your local fire department for proper installation location of all Knox products.


Search Results: Master Key Retention

To purchase an item please choose from the "Online Purchase" link above.

Site Updates:

1/15/2009

**Now Available!
Knox MedVault**



[More Info](#)

[Place Order](#)



8/18/2008

FREE White Paper:

*Fire Sprinkler Connections:
Are We Protecting the Vital Link?*

Fire Sprinkler Connections:
Are We Protecting the Vital Link?



[Click Here to Download](#)

KeySecure 3 USB with Audit Trail 2642

KeySecure 3 USB provides documented master key security in emergency vehicles. Units are programmed and managed by a central database on a PC or laptop using KeySecure Software. Firefighters simply enter their authorized PIN code and the master key is released for service. Audit trail data is collected via a USB data cable by a laptop. Requires one-time purchase of KeySecure software.



KeySecure 3 USB with Blue Strobe 2643

KeySecure 3 USB provides documented master key security in emergency vehicles. Units are programmed and managed by a central database on a PC or laptop using KeySecure Software. Firefighters simply enter their authorized PIN code and the master key is released for service. Audit trail data is collected via a USB data cable by a laptop. Requires one-time purchase of KeySecure software. Unit includes mounted blue strobe light.



KeySecure 3 USB with Red Strobe 2644

KeySecure 3 USB provides documented master key security in emergency vehicles. Units are programmed and managed by a central database on a PC or laptop using KeySecure Software. Firefighters simply enter their authorized PIN code and the master key is released for service. Audit trail data is collected via a USB data cable by a laptop. Requires one-time purchase of KeySecure software. Unit includes mounted red strobe light.



KeySecure 3 Software with USB Cable 2683

Please [click here to download](#) Knox brochures, price list, catalog, and specification sheets.

08/19/2009

Please [click here](#) to download the latest version of the **KeySecure 3 and Sentralok A Software - Now Windows Vista compatible**. The last software update was posted on **8/19/2009**. You must be a registered user with a user name and password.

The KeySecure 3 software package includes helpful instructions and a data cable for downloading audit trail from KeySecure 3 units. The software requires a PC or laptop with Windows 2000 or XP. Only one software package is required to serve all KeySecure 3 units purchased by your department.



[Back to Home Page](#) [Next](#)



[Home](#) | [Rapid Entry System](#) | [Products](#) | [Online Purchase](#) | [Support](#) | [Contact Us](#) | [Register your Fire Department](#) | [Update Registered Fire Department](#) | [Application Photos](#) | [What's Hot](#) | [Newsletter](#) | [Check Order Status](#) | [Site Map](#) | [Links](#) | [View Shopping Cart](#) | [Check Out](#) | [Search](#)

©2009 Knox Company. All rights reserved.
[Privacy Policy](#)